



# HY-LAND®

PROFESSIONAL PLAYGROUNDS

BED & BREAKFASTS  
FAMILY HOTELS  
RESTAURANTS  
SPORT CLUBS  
CAMPINGS  
NURSERIES  
SCHOOLS





## EN

### **AFFORDABLE**

A sound investment with relatively low depreciation and maintenance costs

### **QUALITY**

Smartly designed to meet the needs and budgets of business owners

### **SAFETY**

Tested and certified by an accredited test laboratory (TüV-Rheinland) according to EN-1176 for public use

## DE

### **ERSCHWINGLICH**

Eine sinnvolle Investition mit relativ niedrigen Abschreibungs- und Wartungskosten

### **QUALITÄT**

Intelligentes Design, um Anforderungen und Budget von Unternehmer zu erfüllen

### **SICHERHEIT**

Von unabhängiger Prüfstelle (TüV-Rheinland) gemäß EN-1176 für die Verwendung in öffentlichen Bereichen getestet und zertifiziert

## FR

### **ABORDABLE**

Un bon investissement avec un amortissement et des coûts de maintenance relativement faibles

### **QUALITÉ**

Intelligemment conçu pour répondre aux besoins et aux budgets des propriétaires d'entreprise

### **SÉCURITÉ**

Testé et certifié par un laboratoire de test accrédité (TüV Rheinland) conformément à la norme EN-1176 pour un usage public

## NL

### **BETAALBAAR**


Een investering met relatief lage afschrijvings- en onderhoudskosten

### **KWALITEIT**

Doordacht ontworpen en afgestemd op de behoeften en het budget van ondernemers

### **VEILIGHEID**

Getest en gecertificeerd door een geaccrediteerd testlaboratorium (TüV Rheinland) volgens EN-1176 voor openbaar gebruik



# DA

## PRISBILLIGE

En fornuftig investering med relativt lav værdiforringelse og lave vedligeholdelsesomkostninger

## KVALITET

Intelligent design som passer til både virksomhedsejeres behov og budget

## SIKKERHED

Testet og godkendt af akkrediteret testlaboratorium (TüV-Rheinland) iht. EN-1176 til offentlig brug

# SV

## PRISVÄRD

En god investering med relativt låga avskrivnings- och underhållskostnader

## KVALITET

Smart designade för att möta behov och budgetar hos företagsägare

## SÄKERHET

Testade och certifierade av ett ackrediterat testlaboratorium (TüV-Rheinland) i enlighet med EN-1176 för offentlig användning

# FI

## EDULLINEN

Turvallinen sijoitus, jonka arvo säilyy pitkään ja jonka ylläpito on edullista

## KORKEALAATUINEN

Suunniteltu nokkelasti yritysten tarpeisiin ja budjettiin

## TURVALLISUUS

Arvostetun testauslaitoksen (TüV-Rheinland) testaama ja hyväksymä. Täyttää standardin EN-1176 vaatimukset julkisessa käytössä

# NO

## RIMELIGE



En fornuftig investering med lav avskrivning og vedlikeholdskostnader

## KVALITET

Fornuftig utformet for å imøtekomme forretningsseierens budsjett og behov

## SIKKERHET


Testet og sertifisert av et akkreditert testlaboratorium (TüV-Rheinland) i samsvar med EN-1176 for offentlig bruk






# P SERIES

**P1**



**P2**







**P** SERIES



**P3**




**P4**






## P SERIES

**P5**



**P6**







**P** SERIES



◀ **P8**




**P7**






# Ps SERIES

**P4s**



**P3s**









# Ps SERIES



◀ **P 5s**



**P 6s**







## P<sub>s</sub> SERIES

P<sub>7s</sub>

P<sub>8s</sub>





**Q SERIES**

**Q<sup>2</sup>**


**Q<sup>1</sup>**






## Q SERIES

Q4



Q3







## Qs SERIES



◀ **Q2s**




**Q4s**





## SWING SETS



### CLASSIC SWING SET ▶













## SWING SETS

### ◀ NEST SWING SET



**P1****P2****P3****P4**


Kids (3-12 years)	4	4	5	6
Hy-Slide	1 x Green / Steel	1 x Green / Steel	1 x Green / Steel	1 x Green / Steel
Kit	1 x P-Kit A 1 x P-Kit C	1 x P-Kit B 1 x P-Kit C	1 x P-Kit A 1 x P-Kit B 1 x P-Kit C	1 x P-Kit A 2 x P-Kit B 1 x P-Kit C
Playground area surface*	35 m <sup>2</sup>	35 m <sup>2</sup>	45 m <sup>2</sup>	47 m <sup>2</sup>
Critical fall height	1,50 m	1,50 m	1,50 m	1,50 m
Anchor Set Uni**	2 sets	2 sets	3 sets	4 sets
for non-paved construction site	Concrete	Concrete	Concrete	Concrete
Assembly	4h	6h	7h	13h

**P3s****P4s**


Kids (3-12 years)	7	8
Hy-Slide	1 x Green / Steel	1 x Green / Steel
Kit	1 x P-Kit A 1 x P-Kit B 1 x P-Kit C	1 x P-Kit A 2 x P-Kit B 1 x P-Kit C
	1 x S-Swing Module Start 1 x S-Swing Seats (2 pcs)	1 x S-Swing Module Start 1 x S-Swing Seats (2 pcs)
Playground area surface*	86 m <sup>2</sup>	98 m <sup>2</sup>
Critical fall height	1,50 m	1,50 m
Anchor Set Uni**	4 sets	5 sets
for non-paved construction site	Concrete	Concrete
Assembly	11h	17h

\* Shock-absorbing properties of playground area surface should comply with EN-1176 (e.g. rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1.5 m)




**P5**


6
1 x Green / Steel
2 x P-Kit A 1 x P-Kit B 1 x P-Kit C
54 m <sup>2</sup>
1,50 m
4 sets
150 liter (≈300 kg)
11h

**P6**


8
1 x Green / Steel
2 x P-Kit A 2 x P-Kit B 1 x P-Kit C
62 m <sup>2</sup>
1,50 m
5 sets
180 liter (≈360 kg)
15h

**P7**


10
1 x Green / Steel
3 x P-Kit A 2 x P-Kit B 1 x P-Kit C
72 m <sup>2</sup>
1,50 m
6 sets
210 liter (≈420 kg)
18h

**P8**


12
1 x Green / Steel
3 x P-Kit A 3 x P-Kit B 1 x P-Kit C
77 m <sup>2</sup>
1,50 m
7 sets
240 liter (≈480 kg)
27h

**P5s**



8
1 x Green / Steel
2 x P-Kit A 1 x P-Kit B 1 x P-Kit C
1 x S-Swing Module Start 1 x S-Swing Seats (2 pcs)
88 m <sup>2</sup>
1,50 m
5 sets
410 liter (≈820 kg)
15h

**P6s**

10
1 x Green / Steel
2 x P-Kit A 2 x P-Kit B 1 x P-Kit C
1 x S-Swing Module Start 1 x S-Swing Seats (2 pcs)
101 m <sup>2</sup>
1,50 m
6 sets
440 liter (≈880 kg)
19h






**P7s**

12
1 x Green / Steel
3 x P-Kit A 2 x P-Kit B 1 x P-Kit C
1 x S-Swing Module Start 1 x S-Swing Seats (2 pcs)
117 m <sup>2</sup>
1,50 m
7 sets
470 liter (≈940kg)
22h




**P8s**

14
1 x Green / Steel
3 x P-Kit A 3 x P-Kit B 1 x P-Kit C
1 x Swing Module Start 1 x S-Swing Seats (2 pcs)
112 m <sup>2</sup>
1,50 m
8 sets
500 liter (≈1000 kg)
31h



\*\* For paved construction sites additional anchoring hardware is required: e.g. chemical anchors, expanding plugs/bolts

**Q1****Q2****Q3****Q4**

Kids (3-12 years)	5	5	6	7
Hy-Slide	1 x Green / Steel	1 x Green / Steel	1 x Green / Steel	1 x Green / Steel
Kit	1 x Q-Start 1 x Q-Net	1 x Q-Box 1 x Q-Roof	1 x Q-Start 1 x Q-Net 2 x Q-Box 1 x Q-Roof	1 x Q-Start 2 x Q-Net 2 x Q-Box 2 x Q-Roof 1 x Q-Bridge
Playground area surface*	46 m <sup>2</sup>	46 m <sup>2</sup>	61 m <sup>2</sup>	65 m <sup>2</sup>
Critical fall height	1,50 m	1,50 m	1,50 m	1,50 m
Anchor Set Uni**	2 sets	2 sets	3 sets	4 sets
for non-paved construction site	Concrete	Concrete	Concrete	Concrete
	210 liter (≈420 kg)	210 liter (≈420 kg)	300 liter (≈600 kg)	390 liter (≈780 kg)
Assembly	6h	8h	14h	17h

**Q2s****Q4s**

Kids (3-12 years)	7	9	2	4
Hy-Slide	1 x Green / Steel	1 x Green / Steel	-	-
Kit	1 x Q-Start 1 x Q-Net 1 x Q-Rock	1 x Q-Start 2 x Q-Box 2 x Q-Roof	1 x S-Swing Start 1 x S-Swing Seats (2 pcs)	1 x S-Swing Start 1 x S-Swing Nest (ø 100 cm)
Playground area surface*	86 m <sup>2</sup>	110 m <sup>2</sup>	36 m <sup>2</sup>	38 m <sup>2</sup>
Critical fall height	1,50 m	1,50 m	1,50 m	1,90 m
Anchor Set Uni**	3 sets	5 sets	2 sets	2 sets
for non-paved construction site	Concrete	Concrete	Concrete	Concrete
	470 liter (≈940 kg)	650 liter (≈1300 kg)	520 liter (≈1040 kg)	950 liter (≈1900 kg)
Assembly	10h	19h	4h	4h

**CLASSIC SWING SET****NEST SWING SET**

\* Shock-absorbing properties of playground area surface should comply with EN-1176 (e.g. rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1.5 m)

\*\* For paved construction sites additional anchoring hardware is required: e.g. chemical anchors, expanding plugs/bolts



**EN**  
Each Project comes with a Hy-Slide™; Green (HDPE structural foam) / Stainless Steel

**DE**  
Jedes Hy-land Projekt wird mit einer Hy-Slide™ (Rutsche) geliefert; Grün (HDPE-Strukturschaum) / Edelstahl

**FR**  
Chaque module Hy-land est livré avec un toboggan adapté Hy-Slide™; Vert (PEHD mousse structurelle) / Acier inoxydable


**NL**  
Elk Hy-land project wordt met een Hy-Slide™ geleverd; Groen (HDPE structuurschuim) / Roestvrij staal

**DA**  
Alle Hy-land Projekter leveres med en Hy-Slide™; Grøn (HDPE strukturel skum) / Rustfrit stål

**SV**  
Varje Hy-land Project leveras med en Hy-Slide™; Grön (HDPE strukturskum) / Rostfritt stål

**FI**  
Jokainen Hy-land Project rakennelman mukana tulee Hy-Slide™ -liukumäki; Vihreä (HDPE -rakenteeseen perustuvan) / Ruostumaton teräs

**NO**  
Alle Hy-land lekeplasser leveres med en Hy-Slide™; Grønn (HDPE strukturelle skum) / Rustfritt stål



**EN**  
Extra Anchor Sets are available for secure anchoring in a concrete foundation

**DE**  
Für die sichere Verankerung in einem Betonfundament sind zusätzliche Anchor Sets erhältlich

**FR**  
Des Anchor Set supplémentaires sont disponibles pour sécuriser la fixation dans des fondations en béton

**NL**  
Extra Anchor Sets zijn beschikbaar, voor rotsvaste

verankerung in een betonnen fundering

**DA**  
Ekstra Anchor Sets kan bestilles til sikker forankring i betonunderlag

**SV**  
Extra Anchor Sets finns tillgängliga för fäste i betongfundament

**FI**  
Anchor Sets -sarjat saatavana myös betoniperusteisiin

**NO**  
Ekstra Anchor set er tilgjengelige for sikker forankring i betongfundament



www.hy-land.eu

Hy-land B.V.  
P.O. Box 75083  
1070 AB Amsterdam  
The Netherlands

info@hy-land.eu  
+31 85 444 41 01



Specifications are subject to change without notice. Subject to alterations and printing errors. Product may differ from the pictures.  
Availability of Hy-land products may vary between countries and distributors. © & ™ 2017 Hy-land B.V. Amsterdam

